

Fig. 1




FIG. 2




FIG. 3

| | | | |
|--------------------|-------------|-----|--|
| 404 | | 406 | |
| Modem ID | MAC address | 402 | |
| ID1 | MAC1 | | |
| ID2 | MAC2 | | |
| . | . | | |
| . | . | | |
| IDN | MACN | 408 | |
| Time of arrival t1 | | | |

| | | | |
|--------------------|-------------|-----|--|
| 412 | | 414 | |
| Modem ID | MAC address | 410 | |
| ID1 | MAC1 | | |
| ID2 | MAC2 | | |
| . | . | | |
| . | . | | |
| IDN | MACN | 416 | |
| Time of arrival t2 | | | |

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

9/17




FIG. 10

10/17





FIG. 11



Sync message

| | |
|--|-------------------------------------|
| Primary subscriber ID <u>1202</u> | Secondary subscriber ID <u>1204</u> |
| Service template including QOS <u>1206</u> requirements (e.g., scheduling type) | |
| Packet classifier <u>1208</u> | |

FIG. 12

12/17




FIG. 13




FIG. 14




FIG. 15




FIG. 16 1600




FIG. 17




FIG. 18